Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(printer\$5 with (sens\$5 detect\$5) with (siz\$3 near4 position\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
		"30" and "32"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 16:46
		"31" and "32"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2004/09/16 16:46
		(358/403, 235/375, 235/435, 358/401, 358/444, 358/470, 382/317, 358/1.6).cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 16:45
		(printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5) with (document\$5 with (id\$5 mark\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:05
L1	12911	(358/1.15, 358/401, 358/403, 358/444, 235/375, 235/435, 358/470).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L2	16170	(document\$5 with (id\$2 identification\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L3	658	L1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
L4	171	3 and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39

	·					
L5	39	(document\$5 with ((identification\$5 id\$2) adj2 (pattern\$5 mark\$5))) same (printer\$5 facsimil\$5 copy adj2 machine\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
S1	146	(printer\$5 with (sens\$5 detect\$5) with (siz\$3 near4 position\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2004/09/17 12:35
S2	67	S1 and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 12:36
S3	8	(("6002491") or ("5887088") or ("5822083") or ("5784173") or ("5765176") or ("5764368") or ("5754308") or ("5410415")).PN.	USPAT; USOCR	OR	OFF	2004/09/15 15:35
S4	2	(("6137590") or ("6537324")).PN.	USPAT; USOCR	OR	OFF	2004/09/15 15:36
S5	15	("4268159" "4408181" "4455039" "4829166" "5243381" "5316279" "5383029" "5513922" "5553312" "5561528" "5630062" "5699493" "5754308" "5822083" "5841885").PN.	USPAT	OR	ON	2004/09/15 15:39
S6	12	("5553216" "5692073" "5781914" "5848413" "5884014" "5963964" "5963966" "6011905" "6035308" "6035330" "6081277" "6189019").PN.	USPAT	OR	ON	2004/09/15 15:40
S7	2	"20010029513"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 16:53
S8	33	(printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5) with (document\$5 with (id\$1 mark\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 16:45
S9	25	(encod\$5 encrypt\$5 embedd\$5) adj4 (document\$5 with (id\$2 mark\$5 identification\$5 barcode\$5)) same (printer\$5 copy adj2 machine\$5 facsimil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 16:56

<u> </u>	T	T.,,	T	1		T
S10	25	(((printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5) with (document\$5 with (id\$1 mark\$5))) and @ad<"19970305") and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 16:56
S11	25	((printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5) with (document\$5 with (id\$1 mark\$5))) and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 16:57
S12	10	((encod\$5 encrypt\$5 embedd\$5) adj4 (document\$5 with (id\$2 mark\$5 identification\$5 barcode\$5)) same (printer\$5 copy adj2 machine\$5 facsimil\$5)) and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:05
S13	29	(document\$5 with identification\$5 adj2 (pattern\$5 mark\$5)) same (printer\$5 facsimil\$5 copy adj2 machine\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:05
S14	36	(document\$5 with ((identification\$5 id\$2) adj2 (pattern\$5 mark\$5))) same (printer\$5 facsimil\$5 copy adj2 machine\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:34
S15	12	((document\$5 with identification\$5 adj2 (pattern\$5 mark\$5)) same (printer\$5 facsimil\$5 copy adj2 machine\$5)) and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:36
S16	13929	(document\$5 with (id\$2 identification\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
S17	1450	(document\$5 with (id\$2 identification\$2)) same ((printer\$5 facsimil\$5 copy adj2 machine\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:35
S18	90	(encod\$5 encrypt\$5 embed\$5) with (document\$5 with (id\$2 identification\$2)) same ((printer\$5 facsimil\$5 copy adj2 machine\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:35
S19		((encod\$5 encrypt\$5 embed\$5) with (document\$5 with (id\$2 identification\$2)) same ((printer\$5 facsimil\$5 copy adj2 machine\$5))) and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 17:36

S20	8	"5644408".URPN.	USPAT	OR	ON	2004/09/15 17:37
S21	19	"5754308".URPN.	USPAT	OR	ON	2004/09/16 10:39
S22	14	Mori with Nobuyasu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 14:11
S23	15	("4268159" "4408181" "4455039" "4829166" "5243381" "5316279" "5383029" "5513922" "5553312" "5561528" "5630062" "5699493" "5754308" "5822083" "5841885").PN.	USPAT	OR	ON	2004/09/16 14:15
S24	8479	(358/403, 235/375, 235/435, 358/401, 358/444, 358/470, 382/317, 358/1.6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 16:45
S25		(printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5 embed\$4 encrypt\$5) with (document\$5 with (id\$1 mark\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16.16:46
S26	7	((printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5 embed\$4 encrypt\$5) with (document\$5 with (id\$1 mark\$5))) and ((358/403, 235/375, 235/435, 358/401, 358/444, 358/470, 382/317, 358/1.6).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 16:47
S27	7	(((printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5 embed\$4 encrypt\$5) with (document\$5 with (id\$1 mark\$5))) and ((358/403, 235/375, 235/435, 358/401, 358/444, 358/470, 382/317, 358/1.6).ccls.)) and @ad<"199970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 16:48
S28	5	(((printer\$5 facsimil\$5 copy adj2 machine\$5) with (encod\$5 synthe\$5 embed\$4 encrypt\$5) with (document\$5 with (id\$1 mark\$5))) and ((358/403, 235/375, 235/435, 358/401, 358/444, 358/470, 382/317, 358/1.6).ccls.)) and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 17:03

S29	2	("20020051228").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 17:04
S30	2	("20020093697").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2004/09/16 18:03
S31	2	("5668971").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 18:04
S32	2	("5668931").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 18:04